



OVA-131

Adapter kit for adapting Regin's actuators to valves of other brands

The key to finding the correct adapter is the valve. It is important to have information regarding the brand and name of the valve when choosing the adapter.

ABS, VADSTENA, VM (SHUNTMASTER)



OVA-031



OVA-A1

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
SV...25	25 mm	20 mm	RVAN5...	OVA-131	
SV...27	25 mm	20 mm	RVAN5...	OVA-131	
SV...33	32 mm	20 mm	RVAN5...	OVA-131	
SV...35	32 mm	20 mm	RVAN5...	OVA-131	
SV...36	32 mm	20 mm	RVAN5...	OVA-131	
SV...47	40 mm	20 mm	RVAN5...	OVA-131	
SV...54	50 mm	40 mm	RVAN18...	OVA-031	
SV...55	50 mm	40 mm	RVAN18...	OVA-031	
SV...56	50 mm	40 mm	RVAN18...	OVA-031	
SV...62	65 mm	40 mm	RVAN18...	OVA-031	
SV...65	65 mm	40 mm	RVAN18...	OVA-031	
SV...66	65 mm	40 mm	RVAN18...	OVA-031	
SV...67	65 mm	40 mm	RVAN18...	OVA-031	

ALBION



OVA-A2

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
ART20	15 - 32 mm	4 mm	RVAZ2...	N/A	

ARI ARMATUREN



OVA-A3

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
485-489	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
485-489	40 - 50 mm	14 mm	RVAN18	OVA-A3	
485-489	65 - 100 mm	20 - 30 mm	RVAN18.../RVNA25...	OVA-A2	

BELIMO



OVA-015

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
H4	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H5	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H6	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H6	65 mm (kvs 58)	18 mm	RVAN10...	OVA-015	
H7	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-015	
H7	65 mm (kvs 58)	18 mm	RVAN10...	OVA-015	
H7	80 mm (kvs 90)	18 mm	RVAN10...	OVA-015	

BROEN

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Ballorex dynamic	15 - 32 mm	3 mm	RVAZ2...	N/A	



OVA-141

CALEFFI

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
145-series	15 - 25 mm	4 mm	RVAZ2...	N/A	

CIMBERIO

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Cim 716	10 - 32 mm	4 mm	RVAZ2...	N/A	
Cim 717	15 - 32 mm	4 mm	RVAZ2...	N/A	



OVA-020

CONTROLLI

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VMB	15 - 50 mm	16.5 mm	RVAN5.../RVAN10...	OVA-141	
VSB	15 - 50 mm	16.5 mm	RVAN5.../RVAN10...	OVA-141	
VSX..PB	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VSX..PB	15 - 20 mm	5 mm	RVAZ2...	N/A	
VSX..PB	25 - 32 mm	5,5 mm	RVAZ2...	N/A	
VSXT..PB	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VSXT..PB	15 - 20 mm	5 mm	RVAZ2...	N/A	
VSXT..PB	25 - 32 mm	5,5 mm	RVAZ2...	N/A	
VSX	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VMX	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VTX	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VSXT	15 - 25 mm	5,5 mm	RVAZ2...	N/A	
VMXT	15 - 25 mm	5,5 mm	RVAZ2...	N/A	
VXTX	15 - 25 mm	5,5 mm	RVAZ2...	N/A	
VLX	15 - 25 mm	4 mm	RVAZ2...	N/A	

CRANE

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
D995	15 - 32 mm	4 mm	RVAZ2...	N/A	

DANFOSS

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
AB-QM	10 - 20 mm	2,3 mm	RVAZ2...	N/A	
AB-QM	25 - 32 mm	4.5 mm	RVAZ2...	N/A	
AHQM	15 mm	5,5 mm	RVAZ2...	N/A	
AHQM	20 - 32 mm	5 mm	RVAZ2...	N/A	
(H)VF2/(H)VF3	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VFS2	15 - 25 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VL2/(H)VL3	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VRB2/(H)VRB3	15 mm	10 mm	RVAN5...	OVA-020	
(H)VRB2/(H)VRB3	20 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
(H)VRG2/(H)VRG3	15 mm	10 mm	RVAN5...	OVA-020	
(H)VRG2/(H)VRG3	20 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
VMO	15 - 25 mm	17 mm	RVAN5...	OVA-020	
VR2/VR3	15 - 25 mm	15 mm	RVAN5.../RVAN10...	OVA-020	
VS2	15 mm	4 mm	RVAZ2...	N/A	
VZ 2	15 - 20 mm	5,5 mm	RVAZ2...	N/A	
VZ 3	15 - 20 mm	5,5 mm	RVAZ2...	N/A	
VZ 4	15 - 20 mm	5,5 mm	RVAZ2...	N/A	
VZL 2	15 - 20 mm	2,8 mm	RVAZ2...	N/A	
VZL 3	15 - 20 mm	2,8 mm	RVAZ2...	N/A	
VZL 4	15 - 20 mm	2,8 mm	RVAZ2...	N/A	



OVA-131



OVA-031



OVA-F4

ESBE

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VL2FA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FC	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FD	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FS	20-40 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TB	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FAA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2FDA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TAA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL2TBA	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3FA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3FC	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3TA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VL3TB	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA121	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA221	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA131	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA425	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA325	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA325	65 mm	25 mm	RVAN5.../RVAN10...	OVA-131	
VLA325	65 mm	25 mm	RVAN18.../RVAN25...	OVA-031	
VLA325	80-150 mm	45 mm	RVAN18.../RVAN25...	OVA-031	
VLA335	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLA335	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLB125	65-150 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VLB135	65-150 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VLB235	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLB325	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLB325	65 mm	25 mm	RVAN5.../RVAN10...	OVA-131	
VLB325	65 mm	25 mm	RVAN18.../RVAN25...	OVA-031	
VLB325	80-150 mm	45 mm	RVAN18.../RVAN25...	OVA-131	
VLB225	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLB225	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLB235	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-F4	
VLB335	15-50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLB335b	65 mm	25 mm	RVAN5.../RVAN10...	OVA-131	
VLB335	65 mm	25 mm	RVAN18.../RVAN25...	OVA-031	
VLB335	80-150 mm	45 mm	RVAN18.../RVAN25...	OVA-031	
VLC125	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC225	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC325	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLC425	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLE122	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLE132	15 - 50 mm	20 mm	RVAN.../RVAN10...	OVA-131	
VLE222	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLE325	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLF125	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLF135	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
VLF335	65 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-F4	



OVA-161

FLOWCON

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Green.0	15 - 25 mm	3,4 mm	RVAZ2...		
Green.1	15 - 25 mm	3,4 mm	RVAZ2...		
Green.2	25 - 32 mm	5,2 mm	RVAZ2...		

FRESE

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Optima Compact	10 - 32 mm	2,5/5,0/5,5 mm	RVAZ2...	N/A	
Optima Compact	40 - 50 mm	15 mm	RVAN5..	2951363701	

GEAMATIC

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
V121G (M6 threaded stem)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-161	

GIACOMINI

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
R206A	15 - 20 mm	4 mm	RVAZ2...		
R206AM	15 - 50 mm	4 mm	RVAZ2...		

HERZ

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
4006	15 - 50 mm	4 mm	RVAZ2...	N/A	
4206	15 - 50 mm	4 mm	RVAZ2...	N/A	



OVA-011



OVA-013



VA748X



OVA-171

HONEYWELL

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
V176A	15 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V176B	20 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V176B	100 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V186	15 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V186	20 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V186	100 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5011R	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5013A	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5013F	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5013R	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5015A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5016A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5016A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5025A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5025A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5049A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5049A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5050A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5050A	100 - 150 mm	38 mm	RVAN18.../RVAN25...	OVA-013	
V5095A	20 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5328A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5329C	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5329A	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V538C6xxx	50 - 150 mm	27 - 40 mm	RVAN18.../RVAN25...	OVA-013	
V538C3xxx	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-011	
V5004TY Kombi-QM	15 - 25 mm	2,7 mm	RVAZ2...	VA748X	
V5004TY Kombi-QM	20 - 32 mm	6,0 mm	RVAZ2...	VA748X	
V5833A (High neck version)	25-40	6,5	RVAZ2...	02133007	
V5832A (High neck version)	25-40	6,5	RVAZ2...	02133007	

IMI/TA HYDRONIC

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
KTM512	15 - 50 mm	10 mm	RVAN5...	OVA-171	
TBV-C	15 - 20 mm	3,7 mm	RVAZ2...	N/A	
TBV-C	25 mm	4,4 mm	RVAZ2...	N/A	
TBV-CM	15 - 25 mm	4,3 mm	RVAZ2...	N/A	
TBV-CMP	15 - 25 mm	4,3 mm	RVAZ2...	N/A	
KTCM512	15 - 25 mm	4,3 mm	RVAZ2...	N/A	
TA-COMPACT-P	10 - 32 mm	4,2 mm	RVAZ2...	N/A	
TA-Modulator	15 - 20 mm	4 mm	RVAZ2...	N/A	
TA-Modulator	25 - 32 mm	6,5 mm	RVAZ2...	N/A	
Eclipse	10 - 20 mm	2,5 mm	RVAZ2...	N/A	
Calyso TRV-3	10 - 20 mm	2,5 mm	RVAZ2...	N/A	



OVA-J1

INDUSTRIETECHNIK

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VFX	15 - 20 mm	2,5 mm	RVAZ2...	N/A	



VA748X

JOHNSON

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
BM-2xx2	15 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
BM-2xx8	15 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
V5210	10 - 20 mm	4 mm	RVAZ2...	N/A	
V5510	10 - 20 mm	3,7 mm	RVAZ2...	N/A	
V5810	10 - 20 mm	3,7 mm	RVAZ2...	N/A	
VG321	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG331	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG341	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG320	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG330	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG324	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG329	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG349	15 - 25 mm	4 mm	RVAZ2...	N/A	
VG6210	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
VG6510	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
VG6810	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
VG7201/VG7203	25 - 32 mm	13 mm	RVAN5.../RVAN10...	OVA-J1	
VG7201/VG7203	40 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
VG7401/VG7403	25 - 32 mm	13 mm	RVAN5.../RVAN10...	OVA-J1	
VG7401/VG7403	40 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
VG7802/VG7804	25 - 32 mm	13 mm	RVAN5.../RVAN10...	OVA-J1	
VG7802/VG7804	40 - 50 mm	19 mm	RVAN5.../RVAN10...	OVA-J1	
VP140	15 - 20 mm	3 mm	RVAZ2...	VA748X	
VP140	25 mm	6 mm	RVAZ2...	VA748X	



OVA-A1



OVA-A2

! The OVA-J1 adapter applies to valves with a M28x1,5 neck and a 1/4" UNF-28 threaded stem.

KIEBACK UND PETER

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
RF	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
RF	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2	
RK	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
RK	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2	

L&G, L&S, SIEMENS VALVES



OVA-031



OVA-134



OVA-L1



OVA-081



OVA-082

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VFF31 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF32 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF33 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF34 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF35 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFF36 (VARISHUNT)	65 mm	40 mm	RVAN18.../RVAN25...	OVA-031	
VFG31 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG32 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG33 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG34 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG35 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VFG36 (VARISHUNT)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VMP43	15 - 20 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VMP45	10 - 40 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VMP47	10 - 20 mm	2,5 mm	RVAZ2...	N/A	
VPF52E	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VPF52F	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VPI46..	15 - 32 mm	2,5 / 4,5 / 5 mm	RVAZ2	N/A	
VPI46..Q	15 - 32 mm	2,5 / 4,5 / 5 mm	RVAZ2	N/A	
VPP46..	10 - 32 mm	2,5 / 4,5 / 5 mm	RVAZ2	N/A	
VQI46..	15 - 25 mm	4 mm	RVAZ2	N/A	
VQI46..Q	15 - 25 mm	4 mm	RVAZ2	N/A	
VQP46..	10 - 25 mm	4 mm	RVAZ2	N/A	
VQP46--Q	10 - 25 mm	4 mm	RVAZ2	N/A	
VVF21	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF21	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF22	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF22	25 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF22 (until 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF22 (from 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF31	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF31	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF32	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF32	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF32 (until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF32 (from 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF40	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF40	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF41	50 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVF42	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF42	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF42 (until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF42 (from 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF42...K	50 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF42...K	50 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF42...K	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF43	65 - 250 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF45	50 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVF51	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF52	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF53	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF53	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
VVF53	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53...K	50 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF53...K	50 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53...K	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VVF53...K	200 - 250 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VVF61	15 - 25 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVF61	40 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VVG11 (VARIVALVE)	15 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVG11	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VVG12 (VARIVALVE)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VVG41	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VVG44	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVG48	20-40	5,5	RVAZ4L1...	OVA-L1	
VVG55	15 - 25 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVG549	15 - 25 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVI46	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
VVI52	15 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VVP45	10 - 40 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VVP46..Q	10 - 32 mm	2,5 / 4,5 / 5 mm	RVAZ2	N/A	
VVP47	10 - 20 mm	2,5 mm	RVAZ2...	N/A	
VVS46	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
VXF21	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF21	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF22	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF22	25 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF22 (until 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF22 (from 2015-10)	100 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF31	25 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF31	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF32	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF32	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF32 (until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF32 (from 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF40	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF40	100 - 150 mm	10 mm	RVAN18.../RVAN25...	OVA-082	
VXF41	15 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF41	50 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF42	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF42	15 - 80 mm	20 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF42 (until 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF42 (from 2015-10)	100 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-082	
VXF43	65 - 250 mm	40 mm	RVAN18.../RVAN25...	OVA-081 + 02133011	
VXF53	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF61	15 - 25 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXF61	40 - 150 mm	20/40 mm	RVAN18.../RVAN25...	OVA-082	
VXG11 (VARIVALVE)	15 mm	5.5 mm	RVAZ4L1...	OVA-L1	
VXG11	20 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VXG12 (VARIVALVE)	25 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
VXG41	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-081	
VXG44	15 - 50 mm	5.5 mm	RVAZ4L1	OVA-L1	
VXG48	20-40	5,5	RVAZ4L1...	OVA-L1	
VXI46	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
VXP45	10 - 40 mm	5,5 mm	RVAZ4L1...	OVA-L1	
VXP47	10 - 20 mm	2,5 mm	RVAZ2...	N/A	
VXS46	15 - 25 mm	2,5 mm	RVAZ2...	N/A	



OVA-L1

LDM

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
RV 111/F	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1	
RV 111/T	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1	
RV 111/W	15 - 40 mm	5.5 mm	RVAZ4L1...	OVA-L1	



OVA-F1

MMA/PURMO

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
FVR	15 - 20 mm	1,7 mm	RVAZ2...	29214112001	
FVRe	15 - 20 mm	1,7 mm	RVAZ2...	29214112001	
FVV	15 - 20 mm	1,7 mm	RVAZ2...	29214112001	
FVAV	15 - 20 mm	1,7 mm	RVAZ2...	29214112001	
FVXR	10 - 15 mm	1,7 mm	RVAZ2...	29214112001	
VHR	15 - 25 mm	1,7 mm	RVAZ2...	29214112001	
Evoflow	15 - 20 mm	1,7 mm	RVAZ2...	29214112001	
TOV	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
TOV	15 - 20 mm	5 mm	RVAZ2...	N/A	
TOV	25 - 32 mm	5,5 mm	RVAZ2...	N/A	
TOV	40 - 50 mm	15 mm	RVAN5..	2951363701	



OVA-F2



Most MMA / Purmo valves with thread M28 x 1.5 fit with RVAZ2 together with adapter 29214112001.



OVA-F3

OSBY VALVES (OAB)

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
2SAS, 2SBS, 2SAM, 2SBM	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
2SBS, 2SBM	100 mm	38 mm	RVAN18...	OVA-F2	
BTR	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3	
BTV (to 2018-12)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3 + 2921451401	
CVFS	20 - 65 mm	32 mm	RVAN18...	OVA-F2	
ETVS (to 2021-04), ETVSU, ETRS (to 2019-12), ETRSU	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
FRS, FRSD	15 - 65 mm (kvs 0.6 - 6.3)	20 mm	RVAN5.../RVAN10...	OVA-F1	
FRS	32 - 65 mm (kvs 10 - 20)	20 mm	RVAN18...	OVA-F2	
GTVS, GTRS	32 - 40 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
GTVS, GTRS	50 - 150 mm	24 - 40 mm	RVAN18.../RVAN25...	OVA-F2	
MMV, MMR	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-134	
MMVA	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F3	
MRT	20 - 25 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
MTVS, MTRS (to 2019-12)	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
NMTV, NMTR	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-121	
NTVS	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-F1	
NTVS	100 - 150 mm	38, 40 mm	RVAN18.../RVAN25...	OVA-F2	
STR, STV	15 - 50 mm	15 mm	RVAN5.../RVAN10...	OVA-121	



OVA-134



OVA-121



OVA-132

OLD OSBY VALVES WITH 3/8" UNF THREAD ON THE STEM

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
2SA/2SB	15 - 80 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
2SB	100 mm	38 mm	RVAN18...	OVA-133	
CVF	20 - 65 mm	32 mm	RVAN18...	OVA-133	
GTR/GTV	25 - 50 mm	20 - 24 mm	RVAN5.../RVAN10...	OVA-132	
GTR/GTV	65 - 150 mm	40 mm	RVAN18.../RVAN25...	OVA-133	
MTR/MTV	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	



OVA-133



VA748X

OVENTROP

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
Cocon 2TZ	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
Cocon QTZ	10 - 32 mm	2,8 / 3,5 / 4 mm	RVAZ2...	N/A	
Tri-M Plus	15 mm	2,5 mm	RVAZ2...	N/A	



OVA-A1

PETTINAROLI

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
91-series	10 - 25 mm	2,7 mm	RVAZ2...	VA748X	
92-series	15 - 20 mm	3 mm	RVAZ2...	VA748X	
92-series	25 mm	6 mm	RVAZ2...	VA748X	
93-series	20 - 32 mm	6 mm	RVAZ2...	VA748X	



OVA-A2

REGIN

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
CTV	10 - 20 mm	5,8 mm	RVAZ2...	29214112001	
RTV	10 - 15 mm	1,7 mm	RVAZ2...	29214112001	
FVR	15 mm	1,7 mm	RVAZ2...	29214112001	
PCTVS	15 - 20 mm	2,7 mm	RVAZ2...	VA748X	
PCMTV	15 - 25 mm	2,7 mm	RVAZ2...	VA748X	
PCMTV	20 - 32 mm	6,0 mm	RVAZ2...	VA748X	
VTTV/VTTR/VTB	15 - 20 mm	2,5 mm	RVAZ2...	N/A	



OVA-I33

RICCIUS + SOHN

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
HMVF2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
HMVF2	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-H2	
HMVF3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
HMVF3	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-H2	
HMVFA2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
HMVFA2	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2	
HMVFA3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
HMVFA3	65 - 100 mm	20 - 30 mm	RVAN18.../RVAN25...	OVA-A2	
RGV2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
RGV3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-H1	
RGVA2	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	
RGVA3	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-A1	



OVA-I32

SATCHWELL

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
SVB-XXX-F3	50 - 150 mm	23 - 40 mm	RVAN18.../RVAN25...	OVA-133	
SVG-XXX-F3	50 - 150 mm	23 - 40 mm	RVAN18.../RVAN25...	OVA-133	
SVR-XXX-F3	50 - 150 mm	23 - 40 mm	RVAN18.../RVAN25...	OVA-133	
SVR-G2	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
SVR-G3	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
VZ, MVZ	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-132	
VZF, MVZF	65 - 150 mm	27 - 40 mm	RVAN18.../RVAN25...	OVA-133	

SAUTER



Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
B6F	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6G	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6R	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
B6S	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
BUL	10 - 20 mm	3,7 mm	RVAZ2...	N/A	
BUT	10 - 20 mm	3 mm	RVAZ2...	N/A	
BXD	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
BXE	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
BXL	25 - 40 mm	2,9 mm	RVAZ2...	N/A	
V6F	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
V6G	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
V6R	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
V6S	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
VCL	10 - 32 mm	2,8 / 3,5 / 4 mm	RVAZ2...	N/A	
VDL	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VDL	15 - 20 mm	5 mm	RVAZ2...	N/A	
VDL	25 - 32 mm	5,5 mm	RVAZ2...	N/A	
VUL	10 - 20 mm	4 mm	RVAZ2...	N/A	
VUT	10 - 20 mm	3/4 mm	RVAZ2...	N/A	
VXD	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
VXE	15 - 50 mm	14 mm	RVAN5.../RVAN10...	OVA-151	
VXL	10 - 20 mm	2,5 mm	RVAZ2...	N/A	

TAC + SCHNEIDER

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
STL	20 - 65 mm	31.5 mm	RVAN18...	OVA-031	
STL-SR	20 - 65 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V211	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V211T	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V212	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V212T	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V221	65 - 100 mm	30/39.5 mm	RVAN18.../RVAN25...	OVA-031	
V222	65 - 100 mm	30 mm	RVAN18...	OVA-031	
V231	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V232	25 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V241	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V265	40 - 100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031	
V282	15 mm	15 mm	RVAN5...	OVA-231	
V282	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V282	40 - 50 mm	31.5 mm	RVAN18...	OVA-031	
V292	15 mm	15 mm	RVAN5...	OVA-231	
V292	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V292	40 - 100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031	
V294	15 mm	15 mm	RVAN5	OVA-231	
V294	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V295	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V295	40 - 100 mm	31.5/40.9/50.3 mm	RVAN18.../RVAN25...	OVA-031	
V298	20 - 40 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V311	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V311T	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V321	65 - 100 mm	30 mm	RVAN18...	OVA-031	

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
V341	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V353	15 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V384	15 mm	15 mm	RVAN5...	OVA-231	
V384	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V384	40 - 50 mm	31.5 mm	RVAN18...	OVA-031	
V386	15 mm	15 mm	RVAN5...	OVA-231	
V386	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V386	40 - 50 mm	31.5 mm	RVAN18...	OVA-031	
V392	15 mm	15 mm	RVAN5...	OVA-231	
V392	20 - 32 mm	22 mm	RVAN5.../RVAN10...	OVA-131	
V392	40 - 50 mm	31.5 mm	RVAN18...	OVA-031	
V394	15 mm	15 mm	RVAN5...	OVA-231	
V394	20 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V394	40 - 53 mm	31.5 mm	RVAN18...	OVA-031	
V395	40 - 50 mm	20 mm	RVAN5.../RVAN10...	OVA-131	
V395	65 - 100 mm	30/39.5 mm	RVAN18.../RVAN25...	OVA-031	
VG211	15 - 50 mm	16.5/25 mm	RVAN5.../RVAN10...	OVA-131	
VG221F	65 mm	25 mm	RVAN10...	OVA-131	
VG221F	80 - 150 mm	45 mm	RVAN18.../RVAN25...	OVA-031	
VG222	65 - 150 mm	25/45 mm	RVAN18.../RVAN25...	OVA-031	
VG311F	65 mm	25 mm	RVAN10...	OVA-131	
VG311F	65 - 150 mm	25/45 mm	RVAN18.../RVAN25...	OVA-031	
VG321	65 - 150 mm	25 - 45 mm	RVAN18.../RVAN25...	OVA-031	
VP228E	15 - 20 mm	2,25 mm	RVAZ2...	N/A	
VP229E	15 - 20 mm	4 mm	RVAZ2...	N/A	
VP229E	25 - 32 mm	4,5 mm	RVAZ2...	N/A	
VZ28/VZ28C	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VZ38/VZ38C	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VZ48/VZ48C	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VZ208x	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VZ308x	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VZ408x	15 - 20 mm	2,5 mm	RVAZ2...	N/A	
VZ219x	15 - 20 mm	5,5 mm	RVAZ2...	N/A	
VZ319x	15 - 20 mm	5,5 mm	RVAZ2...	N/A	
VZ419x	15 - 20 mm	5,5 mm	RVAZ2...	N/A	

TIGER CONTROLS

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
TD2V	15 - 25 mm	4 mm	RVAZ2...	N/A	

VIROLINE/VIR

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
9700	15 - 32 mm	3 mm	RVAZ2...	N/A	
9705	15 - 32 mm	3 mm	RVAZ2...	N/A	
9920	15 - 25 mm	3 mm	RVAZ2...	N/A	
9925	15 - 25 mm	3 mm	RVAZ2...	N/A	



WATTS INDUSTRIES

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
2131	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
3131	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
4131	15 - 25 mm	2,5 mm	RVAZ2...	N/A	
4131	15 - 32 mm	3 mm	RVAZ2...	N/A	



WSE/NORSHUNT

Valve	DN min.-max.	Stroke	Actuator	Adapter type	Note
FM25	25 mm	23.5 mm	RVAN5.../RVAN10...	OVA-FM25	
FM50	50 mm	37.5 mm	RVAN18...	OVA-FM50	